

### HEAD OFFICE



1 Genting Link

#02-04, Perfect One

Singapore 349518



(+65) 6748 2277



(+65) 6744 0033




sales@hakko.com.sg



@hakkoproducts

### T17 Series Soldering Tips




T17 series is available if long nipple is attached to Soldering Iron HAKKO FM-203, FM-204, FM206, FX-950, FX951, FX052.


Compatible with lead-free solder.

## Shape BCM/CM

This type differs from Shape BC by the addition of a hollow to its cut face, providing high solder retention capability. It is used for drag soldering




T17-BCM2 Shape-2BC  
Bevel with indent  
B2706 Nozzle assembly A




T17-BCM3 Shape-3BC  
Bevel with indent  
B2900 Nozzle assembly G

## Shape BC/C


This type has a shape like a cone or column cut at a slant, which allows users to select the cut surface size depending on the




T17-BC1 Shape-1BC  
B2899 Nozzle assembly F




T17-BCF1 Shape-1BC  
*\*Tinned cut surface only*




T17-BCF2 Shape-2BC  
*\*Tinned cut surface only*  
B2706 Nozzle assembly A



T17-BC2 Shape-2BC  
B2706 Nozzle assembly A




T17-BC3 Shape-3BC  
B2900 Nozzle assembly G




T17-BCF3 Shape-3BC  
*\*Tinned cut surface only*  
B2900 Nozzle assembly G

## Shape B

All-round type which can be used from any direction and is easy to hold at any position. Possible to solder any surface from small to large.




T17-B2 Shape-0.5B  
B2708 Nozzle assembly C




T17-BL Shape-BL  
B2898 Nozzle assembly E

## Shape D


This type has a shape like a flat-blade screwdriver and is capable of soldering by applying the tip in 2 ways: line and face. The width (size of tip) suitable for the workpiece can be selected, and it can be used for any soldering work.



T17-D08 Shape-0.8D  
B2709 Nozzle assembly D




T17-D16 Shape-1.6D  
B2708 Nozzle assembly C




T17-D24 Shape-2.4D  
B2708 Nozzle assembly C

## Shape K


This type has a shape like a knife and is capable of soldering by applying the tip in 3 ways: line, face and point. It is used for soldering at narrow pitches, correction of bridging and drag soldering.



T17-KF Shape-KF  
B2923 Nozzle assembly J




T17-KR Shape-KR  
B2902 Nozzle assembly I



T17-KU Shape-KU  
B2901 Nozzle assembly H

## Shape J

This type differs from Shape B and I by bending the tip end and is capable of soldering by applying the tip in 2 ways: face and point. It is used for drag soldering and correction of bridging.



T17-J02 Shape-0.2J  
B2707 Nozzle assembly B